



North Dakota

# 2014 Wheat Varieties

July 2014

## HIGHLIGHTS

Barlow is the leading spring wheat variety in North Dakota for the third straight year. It accounts for 15.7 percent of the 5.90 million acres of spring wheat planted in 2014. Prosper ranks second with 11.7 percent of the spring wheat acreage. SY Soren represents 10.4 percent of the spring wheat planted and ranks third. Faller ranks fourth with 8.8 percent of the spring wheat acres planted. Glenn accounts for 8.2 percent of the spring wheat acreage and ranks fifth. These top five varieties account for 54.8 percent of the spring wheat planted in 2014. North Dakota continues to rank first in spring wheat planted acreage in the United States, with 46.4 percent of the nation's estimated 12.7 million acres planted.

Divide is the leading Durum wheat variety for the sixth consecutive year. Divide accounts for 37.0 percent of the 870,000 acres planted compared with 33.4 in 2013 and 30.4 percent in 2012. Alkabo and Mountrail rank second and third, respectively, with 16.2 and 12.9 percent of the Durum wheat acres planted. Tioga ranks fourth in Durum wheat acreage with 9.7 percent, and Lebsock ranks fifth with 7.5 percent. These top five varieties account for 83.3 percent of the Durum wheat acreage in North Dakota. Once again, North Dakota ranks first in Durum wheat planted acreage in the United States with 59.2 percent of the nation's estimated 1.47 million acres planted.

Jerry accounts for 25.5 percent of the 2014 winter wheat planted acreage in North Dakota, marking the eleventh consecutive year as the most popular winter wheat variety. Decade and WB Matlock rank second and third, respectively, with 17.5 and 6.9 percent of the winter wheat acres planted. Overland ranks fourth with 6.2 percent of the winter wheat acreage planted in North Dakota. These top four varieties account for 56.1 percent of the 800,000 acres planted in North Dakota for 2014.

## SURVEY DESCRIPTION

The data in this report are based on a survey of wheat producers conducted during June by the North Dakota Field Office of USDA's National Agricultural Statistics Service. **Thank you to each person who supplied data and made this report possible!**

Results include acreage and percentages at the State and Agricultural Statistics District levels. All variety acreage numbers in this publication are based on survey averages. Highly reliable state averages are produced from 2,235 positive reports from 4,191 respondents. At the district level, the number of reports for minor varieties is generally limited. Thus, yearly fluctuations in the district variety acreage may be the result of sample variation.

The ND Wheat Commission, the ND Ag Experiment Station, and the ND State Seed Department provided

funding for this survey. The NDSU Extension Service provided variety descriptions. Access to this report is available for free online at [www.ndwheat.com](http://www.ndwheat.com) or [www.nass.usda.gov/nd/](http://www.nass.usda.gov/nd/). For further questions, please contact the North Dakota Wheat Commission at (701) 328-5111 or NASS at (701) 239-5306.

## SPRING WHEAT

**Barlow** is the top variety for the third straight year with 15.7 percent of the 5.90 million acres of spring wheat planted. It is the leading spring wheat variety in the northwest, west central, central, southwest, and south central districts. Released in 2009 by NDSU, Barlow has semi-dwarf height, medium-strong straw strength, medium-early maturity, high test weight, and good milling and baking quality.

**Prosper** ranks second with 11.7 percent of the spring wheat acreage. It is the leading spring wheat variety planted in the north central, northeast, and southeast districts. Released in 2011 by NDSU, Prosper has semi-dwarf height, medium-strong straw strength, medium maturity, low test weight, and good milling and baking quality.

**SY Soren** ranks third with 10.4 percent of the spring wheat acreage. Released in 2011 by Syngenta/AgriPro, SY Soren has semi-dwarf height, strong straw strength, early to medium maturity, high test weight, and good milling and baking quality.

**Faller** ranks fourth in 2014 with 8.8 percent of the spring wheat acreage. Released in 2007 by NDSU, Faller has semi-dwarf height, strong straw strength, medium maturity, slightly below average test weight, and good milling and baking quality.

## Spring Wheat Varieties, Percent of Acreage Planted North Dakota: 2010-2014

Variety	2010	2011	2012	2013	2014	
					Per-cent	Acres planted
	(percent)	(percent)	(percent)	(percent)		(1,000)
Barlow .....	0.9	8.5	17.2	18.0	15.7	924.8
Prosper.....	-	-	2.0	8.8	11.7	690.0
SY Soren.....	-	-	2.0	9.2	10.4	619.7
Faller .....	15.0	11.4	13.1	9.0	8.8	517.8
Glenn.....	25.0	18.1	14.4	10.1	8.2	481.2
WB Mayville.....	-	0.1	0.7	2.7	4.4	258.6
Brennan.....	1.9	5.4	4.9	3.8	3.2	188.6
Mott .....	0.1	1.2	3.1	2.1	2.9	171.7
Elgin-ND .....	-	-	-	0.2	2.7	159.1
RB07 .....	4.9	7.0	4.1	3.6	2.6	151.4
Kelby .....	6.4	5.4	2.6	4.3	1.9	111.4
Vantage.....	1.1	3.5	5.5	2.8	1.9	110.8
Steele-ND.....	3.6	3.2	2.2	1.7	1.7	97.5
Rollag.....	-	-	0.1	0.8	1.5	90.3
Freyr.....	4.8	3.3	2.2	2.5	1.3	77.7
Velva .....	-	-	0.1	0.4	1.3	77.2
Reeder .....	1.4	1.8	0.6	0.9	1.1	65.7
Jenna .....	1.1	3.1	3.0	2.5	1.1	65.6
Select .....	-	0.2	0.7	1.7	1.1	63.9
Alsen .....	3.0	1.6	1.5	0.8	1.0	59.2
Unknown varieties ..	3.6	6.9	4.7	3.1	6.5	386.6
Other varieties .....	27.2	19.3	15.3	11.0	9.0	531.2
All varieties.....						5,900.0

- Represents zero.

~ Not Copyright Protected - Compiled and Published by ~

USDA, National Agricultural Statistics Service, North Dakota Field Office ■ P.O. Box 3166 ■ Fargo, ND 58108-3166  
701-239-5306 ■ E-mail: [nass-nd@nass.usda.gov](mailto:nass-nd@nass.usda.gov) ■ Internet: <http://www.nass.usda.gov/nd/>

## SPRING WHEAT (Continued)

### Spring Wheat Varieties, Percent and Acreage Planted North Dakota: 2014


(Percentages may not add to 100 due to rounding.)

Variety	Northwest	North Central	Northeast	West Central	Central	East Central	Southwest	South Central	Southeast	State
	(percent)	(percent)	(percent)	(percent)	(percent)	(percent)	(percent)	(percent)	(percent)	(percent)
Barlow .....	23.6	18.7	0.9	20.9	21.3	2.8	23.8	20.9	8.6	15.7
Prosper .....	1.9	23.8	23.6	1.8	15.1	15.4	2.0	2.8	21.1	11.7
SY Soren .....	11.5	6.9	7.6	14.1	14.9	21.8	5.1	12.2	10.5	10.4
Faller .....	2.9	12.9	23.4	1.5	7.5	9.7	0.2	0.5	13.6	8.8
Glenn .....	16.3	9.5	1.7	7.3	13.0	3.6	8.7	9.7	1.9	8.2
WB Mayville .....	0.4	3.0	13.0	-	-	22.8	-	-	-	4.4
Brennan .....	4.7	1.3	0.2	8.0	6.6	0.2	4.0	3.0	1.6	3.2
Mott .....	3.3	-	-	4.9	-	-	8.0	7.9	-	2.9
Elgin-ND .....	1.4	2.7	4.2	1.4	3.7	3.2	2.3	2.2	3.2	2.7
RB07 .....	2.5	4.1	0.2	-	1.0	3.2	6.5	3.1	4.6	2.6
Kelby .....	3.5	0.5	0.7	2.8	0.2	0.2	2.1	4.9	0.7	1.9
Vantage .....	0.2	1.4	2.0	-	0.5	2.6	7.6	-	1.2	1.9
Steele-ND .....	3.5	1.2	0.3	4.8	0.6	0.2	2.7	0.3	-	1.7
Rollag .....	-	1.6	5.2	-	1.1	2.5	-	0.3	-	1.5
Freyr .....	1.8	0.3	0.1	3.8	0.8	1.1	1.7	2.0	0.8	1.3
Velva .....	1.7	0.4	0.6	3.9	0.5	-	1.3	2.4	0.5	1.3
Reeder .....	3.1	-	0.1	4.6	-	-	0.9	0.4	-	1.1
Jenna .....	2.1	1.5	0.7	0.9	0.6	1.6	1.7	-	0.4	1.1
Select .....	0.3	0.5	0.2	0.2	1.7	-	0.6	4.0	5.4	1.1
Alsen .....	0.6	1.0	1.2	-	1.1	-	1.4	1.5	2.4	1.0
Unknown varieties .....	8.3	3.6	3.2	10.7	6.4	2.2	7.5	9.8	8.6	6.5
Other varieties .....	6.7	5.3	10.7	8.4	3.3	6.8	11.8	12.4	14.9	9.0
	(1,000 acres)	(1,000 acres)	(1,000 acres)	(1,000 acres)	(1,000 acres)	(1,000 acres)	(1,000 acres)	(1,000 acres)	(1,000 acres)	(1,000 acres)
Barlow .....	211.6	113.9	11.2	122.0	108.5	9.5	192.6	129.3	26.2	924.8
Prosper .....	17.4	145.4	289.5	10.6	76.9	52.2	16.3	17.2	64.5	690.0
SY Soren .....	102.5	41.9	93.2	82.7	76.0	74.2	41.6	75.5	32.1	619.7
Faller .....	25.9	78.4	286.9	9.0	38.5	33.0	1.6	2.9	41.6	517.8
Glenn .....	145.5	57.7	20.8	42.6	66.3	12.1	70.2	60.3	5.7	481.2
WB Mayville .....	3.2	18.0	159.8	-	-	77.6	-	-	-	258.6
Brennan .....	41.7	7.8	1.9	46.6	33.8	0.8	32.8	18.3	4.9	188.6
Mott .....	29.4	-	-	28.7	-	-	64.5	49.1	-	171.7
Elgin-ND .....	12.2	16.2	51.2	7.9	18.7	11.0	18.5	13.7	9.7	159.1
RB07 .....	22.0	24.8	2.5	-	5.1	10.9	53.0	19.1	14.0	151.4
Kelby .....	31.2	2.8	8.9	16.6	1.1	0.8	17.4	30.4	2.2	111.4
Vantage .....	1.4	8.6	24.2	-	2.3	8.8	61.9	-	3.6	110.8
Steele-ND .....	30.9	7.3	3.7	28.2	3.2	0.7	21.8	1.7	-	97.5
Rollag .....	-	9.7	64.3	-	5.6	8.6	-	2.1	-	90.3
Freyr .....	15.8	1.7	1.7	22.3	4.1	3.7	13.9	12.1	2.4	77.7
Velva .....	15.2	2.6	7.1	22.9	2.6	-	10.5	14.9	1.4	77.2
Reeder .....	28.1	-	1.8	26.7	-	-	6.9	2.2	-	65.7
Jenna .....	18.9	9.3	8.7	5.1	3.2	5.6	13.7	-	1.1	65.6
Select .....	2.7	3.3	2.2	1.1	8.6	-	4.9	24.5	16.6	63.9
Alsen .....	5.1	6.3	14.5	-	5.8	-	11.1	9.2	7.2	59.2
Unknown varieties .....	74.4	21.7	39.3	62.6	32.8	7.5	61.1	60.9	26.3	386.6
Other varieties .....	59.9	32.6	131.6	49.4	16.9	23.0	95.7	76.6	45.5	531.2
All varieties .....	895.0	610.0	1,225.0	585.0	510.0	340.0	810.0	620.0	305.0	5,900.0


- Represents zero.

### Spring Wheat Select Varieties Planted North Dakota: 2005-2014

percent



### Spring Wheat Varieties Percent of Acreage Planted North Dakota: 2014



<sup>1</sup> Other includes varieties not listed and unknown varieties.

## DURUM WHEAT

**Divide** is the most popular Durum wheat variety for the sixth consecutive year with 37.0 percent of the 870,000 acres of Durum wheat planted. Released in 2005 by NDSU, Divide has above average height, strong straw strength, medium maturity, and good overall quality.

**Alkabo** ranks second in Durum wheat acreage planted with 16.2 percent. Released in 2005 by NDSU, Alkabo has medium height, very strong straw strength, medium maturity, and excellent overall quality.

**Mountrail** ranks third with 12.9 percent of the Durum wheat acreage in 2014. Mountrail was released in 1998 by NDSU. It has slightly above average height, strong straw strength, late maturity, and average overall quality.


**Tioga** ranks fourth with 9.7 percent of the Durum wheat acreage. A 2010 NDSU release, Tioga is characterized by above average height, strong straw strength, medium maturity, and good overall quality.

### Durum Wheat Varieties, Percent of Acreage Planted North Dakota: 2010-2014

Variety	2010	2011	2012	2013	2014	
					Per- cent	Acres planted
	(percent)	(percent)	(percent)	(percent)		(1,000)
Divide.....	26.6	32.5	30.4	33.4	37.0	322.0
Alkabo.....	9.5	11.7	14.7	19.0	16.2	141.0
Mountrail.....	12.9	13.0	13.3	12.7	12.9	112.2
Tioga.....	-	2.1	2.9	10.7	9.7	84.1
Lebsock.....	12.7	9.5	10.3	10.3	7.5	65.1
Grenora.....	7.0	6.2	10.2	2.3	3.4	29.8
Ben.....	4.6	2.9	1.3	1.5	1.6	14.3
Monroe.....	0.1	0.5	0.2	1.0	1.0	8.4
Dilse.....	2.8	0.6	1.3	1.5	1.0	8.4
DG Star.....	1.5	1.1	0.7	0.9	0.8	6.6
Pierce.....	7.9	2.8	3.4	1.0	0.7	6.2
Westhope.....	-	0.8	0.1	0.1	0.4	3.4
Unknown varieties..	4.2	7.0	4.4	2.6	2.7	23.8
Other varieties.....	10.2	9.3	6.8	3.0	5.1	44.7
All varieties.....						870.0


- Represents zero.

### Durum Wheat Varieties Percent of Acreage Planted North Dakota: 2014



<sup>1</sup> Other includes varieties not listed and unknown varieties.

### Durum Wheat Select Varieties Planted North Dakota: 2005-2014



### Durum Wheat Varieties, Percent and Acreage Planted North Dakota: 2014

(Percentages may not add to 100 due to rounding.)

Variety	Northwest	West Central	Southwest	Combined Districts <sup>1</sup>	State
	(percent)	(percent)	(percent)	(percent)	(percent)
Divide .....	33.1	38.7	41.4	58.5	37.0
Alkabo .....	17.7	7.3	19.5	10.1	16.2
Mountrail.....	19.4	-	-	-	12.9
Tioga .....	7.7	19.3	12.0	8.9	9.7
Lebsock .....	6.1	16.5	5.9	9.2	7.5
Grenora .....	3.7	-	3.8	5.2	3.4
Ben.....	0.3	-	9.8	-	1.6
Monroe .....	1.5	-	-	-	1.0
Dilse .....	-	-	4.4	4.1	1.0
DG Star .....	0.3	5.2	-	-	0.8
Pierce .....	1.1	-	-	-	0.7
Westhope .....	0.6	-	-	-	0.4
Unknown varieties ..	2.8	5.6	1.1	1.4	2.7
Other varieties.....	5.7	7.5	2.1	2.7	5.1
	(1,000 acres)	(1,000 acres)	(1,000 acres)	(1,000 acres)	(1,000 acres)
Divide .....	191.5	36.8	52.2	41.5	322.0
Alkabo .....	102.3	6.9	24.6	7.2	141.0
Mountrail.....	112.2	-	-	-	112.2
Tioga .....	44.4	18.3	15.1	6.3	84.1
Lebsock .....	35.5	15.7	7.4	6.5	65.1
Grenora .....	21.3	-	4.8	3.7	29.8
Ben.....	2.0	-	12.3	-	14.3
Monroe .....	8.4	-	-	-	8.4
Dilse .....	-	-	5.5	2.9	8.4
DG Star .....	1.7	4.9	-	-	6.6
Pierce .....	6.2	-	-	-	6.2
Westhope .....	3.4	-	-	-	3.4
Unknown varieties ..	16.1	5.3	1.4	1.0	23.8
Other varieties.....	33.0	7.1	2.7	1.9	44.7
All varieties.....	578.0	95.0	126.0	71.0	870.0

- Represents zero. <sup>1</sup> Data from North Central, Northeast, Central, East Central, South Central, and Southeast districts are combined to avoid disclosure of individual operations.

WINTER WHEAT

**Jerry** is the most popular winter wheat variety with 25.5 percent of the 800,000 acres of winter wheat planted. This marks the eleventh year in a row that Jerry has been the top winter wheat variety planted. Released in 2001 by NDSU, Jerry has medium height, strong straw strength, medium maturity and good overall quality.

**Decade** ranks second with 17.5 percent of the planted winter wheat acreage. Decade was released by NDSU and Montana State University in 2010. It has short height, moderate straw strength, medium maturity, and good overall quality.

**WB Matlock** ranks third with 6.9 percent of the winter wheat planted acres. WB Matlock was released by WestBred in 2010 and has medium height, strong straw strength, medium maturity, and good overall quality.


**Overland** ranks fourth with 6.2 percent of the winter wheat planted acres. Overland was released by the University of Nebraska in 2006. It has short height, moderate straw strength, moderate to late maturity, and average overall quality.

Winter Wheat Varieties, Percent of Acreage Planted  
North Dakota: 2010-2014


Variety	2010	2011	2012	2013	2014	
					Per-cent	Acres planted
	(percent)	(percent)	(percent)	(percent)		(1,000)
Jerry .....	48.2	38.4	35.0	31.8	25.5	204.7
Decade .....	-	0.3	3.6	11.3	17.5	140.7
WB Matlock .....	-	0.7	2.4	3.2	6.9	55.0
Overland .....	4.2	4.5	6.6	5.1	6.2	49.5
SY Wolf .....	-	-	0.3	4.6	4.0	31.8
Hawken .....	6.4	6.3	5.6	5.9	3.4	26.9
Peregrine .....	-	0.6	2.1	2.6	3.1	24.5
CDC Falcon .....	12.2	10.8	10.8	4.6	2.6	20.7
Wesley .....	6.7	4.4	1.9	5.7	2.5	19.9
Boomer .....	-	0.6	3.8	2.7	2.4	19.0
CDC Accipiter .....	-	2.4	4.7	0.3	2.2	17.2
AC Radiant .....	0.6	1.4	1.3	1.3	2.0	16.0
Unknown varieties ...	9.0	14.4	8.0	5.9	14.2	114.2
Other varieties .....	12.7	15.2	13.9	15.0	7.5	59.9
All varieties .....						800.0

- Represents zero.

North Dakota  
Agricultural Statistics Districts



Winter Wheat Varieties  
Percent of Acreage Planted  
North Dakota: 2014



<sup>1</sup> Other includes varieties not listed and unknown varieties.

